



SPIKE M

[LOCATE DISTRIBUTOR](#)

Product Description

Precision Bipod M-LOK® Compatible The SPIKE was designed to deliver the best experience and comfort to any mission via its versatility and smart hybrid construction

Product Advantages

- Smart hybrid construction, hardened steel, 6061 T-6 aluminum & high performance polymer composite
- 4 locking leg positions: 0, 45, 90 & 135 degrees
- Adjustable rotating head with tilt and pan adjustments that can be locked down or released for quick target tracking
- 60 degree pan movement with a spring loaded mechanism
- 20 degree tilt movement
- Leg height range of 180 mm to 251 mm (height measured at the 90° leg position)
- Quick leg height increase with a simple pull down of the leg extension
- Quick leg height decrease with a push of a button
- Rectangular shaped inner legs for enhanced stability & rigidity
- Rubberized feet for secure surface grip
- Quick & tool-less replacement of feet
- Foot print of 245 to 300 mm
- Additional leg height extension included
- M-LOK mounting compatible

Compatibility

- M-LOK mounting compatible

Specifications

Length	206 mm
Width	96 mm
Height	50 mm
Length deployed	51 mm
Width deployed	242 mm
Height deployed	188 mm
Max height deployed	255 mm

Max width deployed 308 mm

Weight 405 gr